

JOURNAL
OF THE
NORTH-CHINA BRANCH
OF THE
ROYAL ASIATIC SOCIETY
FOR THE YEAR 1913.

VOL. XLIV.

SHANGHAI :
KELLY & WALSH, LIMITED.

KRAUS REPRINT LIMITED
Nendeln/Liechtenstein
1967

Vol. XLIV—1913

Edited by Rev. EVAN MORGAN

CONTENTS

	PAGE
One of the World's Literary Masterpieces. By TIMOTHY RICHARD, Litt.D.	1
The State Religion of China During the Manchu Dynasty. By E. T. WILLIAMS, M.A.	11
The Philosophy of Wang Yang Ming. By F. G. HENKE, Ph.D.	46
Chinese Embroidery and Other Art Textile Work. By A. STANLEY, M.D.	65
Mongolia After the Genghizides and Before the Manchus. By E. H. PARKER, M.A.	76
Omei San : The Sacred Mountain of West China. By E. T. SHIELDS, M.D.	100
Check List of Birds of the Lower Yangtse Valley. By LACY I. MOFFETT and N. GIST GRE	111
Obituary—Mr. H. J. ALLEN	144
Literary Notes :—	
Recent Events and Present Policies in China	145
Present Day Political Organization in China	150
Die Baukunst und Religiöse Kultur der Chinesen	151
The Coal and Mineral Resources of Shansi Province, China	154
Un Traité Manichéen Retrouvé en Chine	155
Les Influences Iraniques en Asie Centrale et en Extrême-Orient	156
Painting in the Far East	157
Epochs of Chinese and Japanese Art	160
Das Justizwesen in China	166
Jade : A Study in Chinese Archaeology and Religion	167
The Passing of the Manchus	169
The Three Religions of China	171
Études sur l'Iconographie Bouddhique de l'Inde	172
A La Découverte de la Musique Japonaise	173
Chinese Materia Medica : Vegetable Kingdom	174
The Heritage of Hiroshige	175
Chinese Grave Sculptures of the Han Period	175
On the Laws of Japanese Painting	177
Recueil de Nouvelles Expressions Chinoises	179
Recherches sur les Superstitions en Chine	179
Confucius and New China	181
Proverbs and Maxims in the Chinese Language	181
The Passing of the Dragon	182
Moral Tenets and Customs in China	183
A Chinese and English Handbook of Business Expressions	184
Anton Burlingame, and the First Chinese Mission to Foreign Powers	185
Les Derniers Barbares—Chine—Tibet—Mongolie	188
Chinese Writing in the Chou Dynasty in the light of recent discoveries	191
Notes and Queries :—	
China under the Empress-Dowager	193
China's Monuments	193
The Christian Monument at Si-an-fu	195
Books Presented to the Library	201
Recent Accessions to the Library	204
Proceedings	209
List of Members	217

CHECK LIST OF BIRDS
OF THE
LOWER YANGTSE VALLEY
FROM
HANKOW TO THE SEA.

COMPILED BY
LACY I. MOFFETT
AND
N. GIST GEE.

STATEMENT.

This list is based upon the "List of Birds of the Lower Yangtse Valley" by F. W. Styan printed in the "Ibis" in 1891 pp. 319 *et seq.* The list covered birds recorded from Hankow to the mouth of the Yangtse, a distance of six hundred miles East and West. Mr. Styan's notes on the occurrence of various species were available only through number 158. Up to that point the numbers following each specific name refer to the description of the species in David and Oustalet's "Oiseaux de la Chine."

To Mr. Styan's list have been added as sub-numbers (as "12a", etc.) additional species recorded from Chinkiang by Mr. J. D. D. La Touche in his "Field Notes on the Birds of Chinkiang" published in the "Ibis" 1906, pp. 427 *et seq.* Mr. La Touche's notes on occurrence have also been added in abbreviated form as have records made by Messrs. Lacy I. Moffett and A. Allison at Kiangyin and elsewhere, and by Mr. N. Gist Gee at Soochow. We are much indebted to Mr. J. D. D. La Touche, Dr. P. D. Bergen and Mr. C. W. Richmond of U. S. A. National Museum for much helpful criticism. Much of this has been added to the list.

We append the entire list of names as worked out by Mr. Richmond, as all of the changes suggested by him could not be made in the body of material—it having been set up for printing.

Order—PASSERES—The Perching Birds.**Family—TURDIDAE—THE THRUSHES****Genus—Merula—The Ousels**

- 1 *M. mandarina* (Bp) *M. sinensis* (Swinhoe) 229
Chinese Blackbird.
Resident—Yangtse Valley (Styan) Chinkiang (La Touche)
Soochow, (Gee) Kiangyin, Hangchow (Allison and Moffett)
- 2 *M. chrysolaus* (T. & S.) 237
Japanese Ousel.
Doubtful—“Must pass Yangtse Valley in migration, never
met with”—(Styan)
- 3 *M. hortulorum* (Sclater) 234
Gray-backed Ousel. Golden-breasted Ousel.
Migrant—Pass Yangtse Valley, October-November (Styan).
Chinkiang, April-May (L. T.) Kiangyin, April (A & M.)
- 4 *M. obscura* (Gm) 236 ?
Gray-headed Ousel.
Migrant—Shanghai—March and May (S) Chinkiang, May
(L. T.) Kiangyin, April (A. & M.)
- 5 *M. pallida* (Gm) 236 ?
Pale Ousel.
Winter visitant, Chinkiang, until end of April (B. T.) Kiangyin
and Soochow (A. & M.)
- 6 *M. naumanni* (Temm) 239
Red-tailed Ousel. Naumann's Thrush.
Winter visitant (S) Chinkiang, Winter (L. T.) Soochow (G)
Kiangyin (A. & M.)
- 7 *M. fusca* (Pall) 240
Dusky Ousel.
Winter visitant (S) Chinkiang. Common in Winter, abundant
in Spring till latter half of April (L. T.)

Genus—Geocichla.

- 8 *G. sibirica* (Pall) 231
Siberian Ground Thrush.
Migrant—“never met with” (S) Winters in China generally
(Swinhoe and David) Chinkiang, September-October
(L. T.)
- 9 *G. varia* (Pall). *Oreocinclla varia* (Pall) 244
White's Thrush. Mountain Thrush.
Migrant—Probably Winters South of Yangtse (S) Chinkiang,
April-May (L. T.)

Genus—Myiophonus.

- 10 *M. caeruleus* (Scop) 267
Violet Whistling Thrush
Resident—Mountain streams of Yangtse basin (S)

Genus—Petrophila.

- 11 *P. manilla* (Bodd) *Petrocincla manilla* (Bodd) 249
Red-bellied Rock Thrush.
Resident—Gorges of upper Yangtse and rocky islands off
coast—few pass Shanghai in Autumn (Styan) Chinkiang,
May and September (L. T.)
- 12 *P. solitarius pandoo* (Sykes) 251
Stray—Kinkiang, Lushan Hills, January (Styan)
- 12A *P. gularis* Swinhoe
White Throated Rock Thrush.
1 ♀ * Migrant?—Chinkiang, September-October (L. T.)

Genus—*Copsychus*.

- 13 *C. saularis* (L.) 264
Dayal Bird.
 Resident—Abundant in gardens about houses (Styan) at
 Kuikiang ? not known at Chinkiang or Shanghai. (L. T.)

Family—TIMELIIDAE.

Genus—*Dryonastes*.

- 14 *D. perspicillatus* (Gm.) 286
Spectacled Laughing Thrush.
 Resident—Common on plains (Styan) Chinkiang (L. T.)
 Soochow (G) Kiangyin (A. & M.)
 15 *D. sannio* (Swinhoe) 287
White-cheeked Laughing Thrush.
 Migrant—Kiukiang, April-May (Styan)

Genus—*Trochalopteron*.

- 16 *T. canorum* (L.) *Leucodopteron Chinenses* (Swinhoe) 283
Hwa-mi, Wo-mi.
 Resident—Abundant on wooded hills, sometimes on plains
 (Styan) Chinkiang (L. T.) Mohkanshan, Kiangyin ? (M.)

Genus—*Pomatorhinus*.

- 17 *P. styani* Seeborn 328
 Resident—Wooded hills, occasionally on plains—Ningpo
 Hangchow, Great Lake, Kiukiang (Styan)

Genus—*Stachyridopsis*.

- 18 *S. sinensis*, O. Grant, *S. ruficeps* (Blyth), *S. praecognitus* 328
 (Swinhoe)
 Resident—Probably on all Yangtse ranges—Found on hills
 near Hangchow (Styan)

Genus—*Suya*.

- 19 *S. crinigera* Hodgson, *S. striata* (Swinhoe) 375
Streaked Hill Warbler.
 Resident—More plentiful in Summer. Low grassy hills,
 Kiukiang (Styan) Chinkiang (L. T.) Kiangyin (A. & M.)

Genus—*Cisticola*.

- 20 *C. cisticola tinnabulans* (Swinhoe), *C. schoenicola* (Swinhoe) *C.*
cursitans (Frankl) 371
Rufous Fantail Warbler. "Pete."
 Resident—Grassy hills and plains (Styan) Chinkiang L. T.)
 Kiangyin (A. & M.)

Family—PARADOXORNITHIDAE—THE CROWTITS.

Genus—*Paradoxornis*.

- 21 *P. guttaticollis* David 301
Spotted-necked Crowtit.
 Resident—Specimen killed S. W. Shanghai (Styan)
 22 *P. heudei* David 302
Heude's Crowtit.
 Resident—Reed beds on Yangtse, Nanking (Styan) Chink-
 iang (L. T.)

Genus—*Suthora*.

- 23 *S. webbiana* Gray 369
Webb's Crowtit. Wong-de.
 Resident—Common Shanghai district (Styan) Chinkiang
 (L. T.) Kiangyin, Mohkanshan (A. & M.) Soochow (G)

- 24 *S. suffusa* Swinhoe 368
 Resident—Plentiful up Yangtse river (Styan)
 Le Touch seems to make this synonym for *S. webbiana*—Is it?

Family—CINCLIDAE—THE DIPPERS.

Genus—Cinclus.

- 25 *Cinclus pallasi souliei*, Oustalet.
 South China Dipper.
 Resident—Found on all mountain torrents of higher ranges,
 but never on plains or among lower hills (Styan)
 Mohkashan (A. & M.)

Family—ENICURIDAE—THE FORKTAILS.

Genus—Enicurus.

- 26 *E. sinensis* (Gould) 426
 Chinese Forktail.
 Resident—Common among hills, never go far into plains
 (Styan) Mohkashan (A. & M.) Hills near Huchow (G)

Genus—Microcichla.

- 27 *M. scouleri* (Vigors) 428
 Little Forktail.
 Resident—much scarcer than *H. sinensis*. Lushan Hill
 (Styan) Mohkashan (M)

Family—SYLVIIDAE—THE WARBLERS.

Genus—Pratincola.

- 28 *P. maura* (Pall). *P. indica* (Blyth) 256
 Eastern Stonechat.
 Migrant—Few pass, April-May and October-November (Styan)
 Chinkiang, April and October (L. T.)

Genus—Oreicola.

- 29 *O. ferrea* (Hodge) 257
 Gray Stonechat.
 Summer visitant—Southern species breeds at Ichang and
 possibly on lower Yangtse hills. (Styan)

Genus—Ruticilla.

- 30 *R. aurora* (Pall) 260
 Daurian Redstart.
 Winter visitant—Common October to April (Chinkiang) (L. T.)
 Kiangyin (A. & M.) Soochow (G)

Genus—Rhyacornis.

- 31 *R. fuliginosa* (Vig) *Xanthopygia fuliginosa* (Vigors) 262
 Plumbeous Water Redstart.
 Resident—Abundant on mountain streams (Styan)

Genus—Chaimarrornis.

- 32 *C. leucocapillus* (Vigors) 263
 White-capped Water Redstart.
 Summer visitant—Rare on lower Yangtse. One taken Ningpo
 hills, November (Styan)

Genus—Erithacus.

- 33 *E. caerulecula* (Pall) 239
 The Blue Throat.
 Migrant—Scarce. Shanghai, November Kiukiang, December
 (Styan)

- 34 *E. calliope* (Pall) *Calliope camschatkensis* (Gm) 340
 Ruby Throat.
 Migrant—Never seen (Styan) Chinkiang, October-November
 and May (L. T.) common in Shantung in Spring (P. D. B.)
- 35 *E. cyanus* (Pall) *Lavivora cyanus* (Pall) 344
 Wood Chat.
 Migrant—Passes in fair numbers, April-May (Styan) Chinkiang
 rare, May (L. T.)
- 36 *E. sibilans* (Swinhoe) 344
 Migrant—Passes April-May and November (Styan)
- Genus—*Phylloscopus*.
- 37 *P. proregulus* (Pall) 397
 Pallas' Willow Warbler.
 Migrant—March-April and October (Styan) Chinkiang, October-
 November scarce. (L. T.)
- 38 *P. superciliosus* (Gm) 296
 Yellow-browed Willow Warbler.
 Migrant—Abundant, April and October (Styan) Chinkiang.
 abundant April-May and September (L. T.)
- 39 *P. coronatus* (Temm) 389
 Crowned Willow Warbler.
 Migrant—Passes Kiukiang, April and August-November
 (Styan) Chinkiang, April-May (L. T.)
- 40 *P. borealis* (Blas) 392
 Arctic Willow Warbler.
 Migrant—Abundant April returns August-November (Styan)
 Chinkiang, common in May, passes in September (L. T.)
- 40A *P. tenellipes* (Swinhoe)
 Pale-legged Willow Warbler.
 Migrant—Chinkiang, common during May (L. T.) Kiukiang,
 July 30th (David)
- Genus—*Luscinola*.
- 41 *L. fuscata* (Blyth) *Herbivocula fuscata* (Blyth) 387
 Brown Grass Warbler.
 Migrant—Kiukiang, May, October-December frequents willows,
 reed beds and low bushes on plains (Styan)
- 42 *L. schwarzi* (Radde) *Herbivocula flemmingi* (Swinhoe) 355
 Yellow-bellied Grass Warbler.
 Migrant—Kiukiang, May (Styan)
- Genus—*Acrocephalus*.
- 43 *A. orientalis* (T. and S.) 365
 Eastern Great Reed Warbler.
 Summer visitant—Yangtse reed beds, April-November (Styan)
 Chinkiang (L. T.) Kiangyin, (A. & N.) Soochow (G)
- 44 *A. bigistriceps* Swinhoe 368
 Von Schrenk's Reed Warbler.
 Summer visitant—Kiukiang reed beds, May-October. Not
 plentiful (Styan) Chinkiang, May and September (L. T.)
- 45 *A. agricola* (Jerdon) do (Styan)
 Summer visitant—Kiukiang reed beds. Summer plentiful.
 (Styan) Chinkiang. Summer. Heard call note and song of
 either *A. bigistriceps* or *agricola* no doubt both to be found
 nesting (L. T.)
- Genus—*Locustella*. Grass-hopper Warblers.
- 46 *L. certhiola* (Pall) 360
 Pallas' Grasshopper Warbler.
 Migrant—Shanghai, ripe paddy fields, September-October
 (Styan) Chinkiang, May and September (L. T.)

- 47 *L. lanceolata* (Temm) 363
 Streaked Grasshopper Warbler.
 Migrant—Kiukiang, May and October (Styan) Chinkiang,
 common May and September-October, one late bird taken
 on November 6th (L. T.) Kiangyin (A. & M.)
- 47A *L. fasciolata* (Gray) *L. insularis* (Wallace)
 Gray's Grasshopper Warbler.
 Migrant—Chinkiang, May-June (L. T.) Amoy, large numbers
 in May (Swinhoe) Breeds near Lake Baikal, passes
 coasts of China and Japan to winter in Malay Archipelago
 (Seeböhm)
- Genus—*Cettia*. Bush Warblers.
- 48 *C. canturiens* (Swinhoe) *Horornis canturiens* (Swinhoe) *C. minuta*
 (Swinhoe) 352
 Swinhoe's Bush Warbler.
 Resident—Yangtse valley northern limit of Winter quarters,
 scarce in Winter, abundant in reeds and bushes in
 Summer (Styan) Chinkiang abundant Summer after
 April 1st (L. T.)
- 49 *C. minuta* (Swinhoe) proved by L. T. to be female of *C. canturiens*.
 "Ibis," July 1906.
- 50 *C. sinensis fortipes* (Styan) *Horeites robustipes* (Swinhoe) 388
 Chinese Bush Warbler.
 Resident—Plentiful in March, chiefly on hills, few remain for
 Winter (Styan) Chinkiang. Common in Summer (L. T.)
- 51 *C. squamiceps* (Swinhoe) *Urosphena squamiceps* (Swinhoe) 347
 Short-tailed Bush Warbler.
 Summer visitant—single specimen near Shanghai in Summer
 (Styan)

Family—PARIDAE—TITMICE OR TITS.

- Genus—*Parus*.
- 52 *P. minor* T. & S. 402
 Lesser Tit.
 Resident—Very common up to 500 feet (Styan) Chinkiang
 common (L. T.) Kiangyin, Mohkanshan up to 2000 feet
 (A. & M.) Soochow (G)
- 53 *P. venustus* Swinhoe 407
 Yellow-bellied Tit.
 Winter visitant—Kiukiang, December-March (Styan) Mohkan-
 shan, April (A. & M.)
- 53A *P. palustris* (L.)
 Marsh Tit.
 Resident—Chinkiang, resident but not abundant (L. T.)
 Kiangyin (A. & M.)
- Genus—*Acredula*.
- 54 *A. concinna* (Gould) *Aegithalus concinnus* (Gould) 423
 Red-headed Tit.
 Resident—common on hills, never found on plains (Styan)
- 55 *A. glaucogularis* (Gould) *Aegithalus glaucogularis* (Gould) 420
 Silver-throated Tit.
 Resident—Common up to 1000 feet (Styan) Chinkiang, com-
 mon (L. T.) Kiangyin, Soochow (A. & M.)
- Genus—*Aegithalus*.
- 55a *A. consobrinus* (Swinhoe) *Remiza consobrina* (Swinhoe)
 Swinhoe's Penduline Tit.
 Winter visitant—Chinkiang, April and February, no doubt
 winter in reed beds (L. T.)

Family—SITTIDAE—NUTHATCHES.

Genus—*Sitta*.

- 56 *S. sinensis* (Verr)
Chinese Nuthatch.
Resident—Common in Anhwei behind Nganking in Wan-
Shan Hills (Styan)

Genus—*Tichodroma*.

- 57 *T. muraria* (L) 139
Red-winged Wall Creeper.
Resident—Kiangsi Province (Styan)

Family—TROGLODYTIDAE—WRENS.

Genus—*Anorthura*.

58. *A. fumigata* (T. & S.) 327
Eastern Wren.
Winter visitant—Only one specimen obtained in district
(Styan) winters in Chinkiang (L. T.)

Family—MOTACILLIDAE—THE WAGTAILS.

Genus—*Motacilla*.

59. *M. leucopsis* Gould *M. alboldes*, var. *felix* (Swinhoe) 429
White-faced Wagtail.
Migrant—Passes considerable numbers February-March,
September-October (Styan) Chinkiang (L. T.)
- 60 *M. ocularis* Swinhoe 432
Streak-eyed Wagtail.
Winter visitant—Yangtse Valley (Styan) Chinkiang (L. T.)
Kiangyin (A. & M.) Soochow (G)
- 61 *M. ingens* Kittlitz, *M. japonica* (Swinhoe) 433
Kamschatkin Wagtail.
Winter visitant—Yangtse valley (Styan) Chinkiang (L. T.)
Kiangyin (A. & M.)
- 62 *M. melanope* Pall
Eastern Gray Wagtail.
Migrant—March-May, early Sept frequents shallow streams at
base of hills rare on plains. (Styan) Chinkiang, common
Spring and Autumn (L. T.)
- 63 *M. borealis* (Sundev), *Budytes cinereocapillus* (Swinhoe) 439
Eastern Gray-headed Wagtail.
Migrant—Yangtse Valley, abundant April-May, September-
November (Styan) Chinkiang, rare (L. T.)
- 64 *M. flava* (L.) 437
Blue-headed Wagtail.
Migrant—Yangtse Valley, with *M. borealis* in about equal
numbers (Styan)
- 65 *M. taiwana* (Swinhoe) 438
Eastern Yellow Wagtail.
Migrant—Passes with *M. borealis* and *M. flava* but much
scarcer (Styan)
- 66 *M. citreola* (Pall) 440
Yellow-headed Wagtail.
Migrant—Shanghai (David), Upper Yangtse (Swinhoe), Not
seen (Styan)

Genus—*Limnodromus*.

- 67 *L. indicus* (Gm) 441
 Forest Wagtail.
 Migrant—Yangtse Valley, passes with Wartsails April-May
 (Styan) Chinkiang, common on hills April-May (L. T.)

Genus—*Anthus*.

- 68 *A. maculatus* (Hodgson), *Pipastes agilis* (Swinhoe) 445
 Eastern Tree Pipit.
 Winter visitant? Breeds at Ichang, possibly on the lower
 Yangtse—few remain throughout Winter (Styan) Chink-
 iang, common in winter (L. T.)
- 69 *A. cervinus* (Pall) 443
 Red-throated Pipit.
 Winter Visitant—Yangtse valley, common all Winter (Styan)
 Kiangyin (A. & M.)
- 70 *A. japonicus* T. & S.
 Eastern Water Pipit.
 Winter Visitant—Adult birds scarce (Styan) Chinkiang,
 abundant in Winter (L. T.) Kiangyin (A. & M.)
- 71 *A. blakistoni* Swinhoe 442
 Blakiston's Water Pipit.
 Winter visitant—Not common, November-December (Styan)
 Chinkiang, not uncommon in Winter (L. T.) Kiangyin
 (A. & M.)
- 72 *A. gustavi* Swinhoe 446
 Petchora Pipit.
 Migrant—See specimen Shanghai Museum.
- 73 *A. richardi* Vieill 447
 Richard's Pipit.
 Migrant—Passes Kiukiang April-May and November (Styan)
 Chinkiang, not common April-May and September-October
 (L. T.)
- 74 *A. infuscatu* (Blyth) 449
 Resident Yangtse Valley—Styan—"The small dark form of
A. richardi which breeds in Fokien" (L. T.)

Genus—*Oreocorys*.

- 75 *O. sylvanus* (Hodge), *Heterura sylvana* (Seeböhm)
 Stray—Single specimen shot by Styan 500 feet up Lushan
 Hills above Kiukiang?

Family—PYCNONOTIDAE—THE BULBULS.

Genus—*Pycnonotus*.

- 76 *P. sinensis* (Gm) 217
 Chinese Bulbul.
 Resident—abundant (Styan) Chinkiang (L. T.) Kiangyin,
 Mohkanshan (A. & M.) Soochow (G)
- 77 *P. xanthorrhous* Auderson 219
 Yellow-vented Bulbul.
 Resident—A hill species, not uncommon (Styan) Chinkiang,
 scarce (L. T.)

Genus—*Spizixos*.

- 78 *S. semitorques* Swinhoe
 Finch-billed Bulbul.
 Resident—Hill species, plentiful up to 200 feet (Styan) Chink-
 iang, common lower hills and on plains (L. T.) Mohkan-
 shan foothills (A. & M.)

Genus—Hypipetes.

- 79 *H. ainaurotis* (Temm) 207
 Stray—One shot near Shanghai, a Japanese and South China species (Styan). I have never seen it in S. China.—(L. T.)
- 79a *H. leucocephalus* (Gm)
 White-headed Black Bulbul.
 Summer Visitant—abundant Mohkanshan up to 2,000 feet (A. & M.)

Family—ORIOLIDAE—THE ORIOLES.**Genus—Oriolus.**

- 80 *O. diffusus* Sharpe *O. chinensis* (Swinhoe) *O. indicus* (Jerdon) 203
 Black-naped Oriole. Golden Oriole.
 Summer visitant—Common April-October (Styan) Chinkiang (L. T.) Kiangyin and Mohkanshan (A. & M.) Soochow (G)

Family—DICRURIDAE—THE DRONGOS.**Genus—Buchanga.**

- 81 *B. atra* (Hermann) *Dicrurus cathoecus* (Swinhoe) 166
 Black Drongo.
 Summer visitant—April-October, remains to breed (Styan) Chinkiang, May and September-October (L. T.) Kiangyin, May and October (A. & M.) Soochow (G)
- 82 *B. leucogenys* Walden 167
 White-cheeked Drongo.
 Summer visitant—A hill species, scarce (Styan)

Genus—Chibia.

- 83 *C. hottentotta* (L.) *C. brevirostris* (Swinhoe) 170
 Hairy-created Drongo.
 Summer visitant—Hill species (Styan) Chinkiang, two individuals seen in May (L. T.) Mohkanshan, common (A. & M.)

Family—CAMPODHAGIDAE—THE MINIVETS, AND CUCKOO SHRIKES.**Genus—Campophaga.**

- 84 *C. melanoptera* (Ruppel) *Volvocivora melaschista* (Swinhoe) 157
 Black-winged Cuckoo Shrike.
 Summer visitant—Fairly numerous May-September (Styan) Chinkiang, single specimen in May (L. T.)

Genus—Pericrocotus.

- 85 *P. cinereus* Lafr 164
 Gray Minivet.
 Migrant—One from Shanghai district in May (Styan) Chinkiang, abundant in May, one in October, none breeding (L. T.) Mohkanshan August (A. & M.)
- 86 *P. cantonensis* Swinhoe 165
 Swinhoe's Minivet.
 Stray—Abundant Chinkiang in Spring (David) Breeding pair taken Chinkiang in May (L. T.) Never seen (Styan)
- 87 *P. brevirostris* (Vigors)
 Migrant—Breeds at Ichang, probably passes lower Yangtse on migration (Styan)
 I doubt whether this bird passes the lower Yangtse. have never met with it in Shantung.—(P. D. B.)

Family—LANIIDAE—SHRIKES.

Genus—*Janius*.

- 88 *L. schach* L. 147
 Red-backed Shrike.
 Resident—common, confined to plains and low hills (Styan)
 Chinkiang (L. T.) Kiangyin (A. & M.), Soochow (G)
- 89 *L. bucephalus* T. & S. 150
 Bull-headed Shrike.
 Winter visitant—rather scarce (Styan) Chinkiang, common
 October-February (L. T.) Kiangyin (A. & M.) Soochow (G)
- 90 *L. superciliosus* Latham 153
 White-browed, red-backed Shrike. Japanese Red-backed
 Shrike.
 Migrant—Sometimes wanders up East coast (David) Chinkiang, single specimen, May (L. T.) never met (Styan)
- 91 *L. cristatus* L. 152
 Brown Shrike.
 Migrant—Immature birds pass in Autumn, adults never
 obtained (Styan) I doubt the validity of this species
 —(P. D. B.)
- 92 *P. lucionensis* L. 151
 Philippine Shrike.
 Summer visitant—Passes abundantly in May, returns in August,
 probably breeds; immature birds cannot be distinguished
 from *L. cristatus* (Styan) Chinkiang, few pairs breed
 (L. T.)
- 93 *L. tigrinus* Daplez *L. magnirostris* (Swinhoe) 149
 Thick-billed Shrike.
 Summer visitant—Found breeding up to 600 feet at Kiukiang
 (Styan) Chinkiang, May, some breed (L. T.) Mohkanshan.
 August (A. & M.)
- 94 *L. tephronotus* (Vigors) 145
 Dingy Shrike.
 Doubtful—Shanghai (David)
- 95 *L. sphenocercus* Cab *L. major* (Swinhoe) 143
 Eastern Gray Shrike.
 Winter visitant—Rare (Styan) Chinkiang, one seen in February
 (L. T.) Kiangyin, October (A. & M.)

Family—MUSCICAPIDAE—FLYCATCHERS.

Genus—*Alseonax*.

- 96 *A. latirostris* (Raffles) 192
 Broad-billed Flycatcher.
 Migrant—Plentiful May and September (Styan) Chinkiang
 (L. T.)

Genus—*Hemichelidon*.

- 97 *H. sibirica* (Gm) 190
 Siberian Flycatcher
 Migrant—Must pass Yangtse valley, never seen (Styan)
 Chinkiang, not at all uncommon May and October (L. T.)
 Kiangyin October (A. & M.)

Genus—*Muscicapa*.

- 98 *M. griseisticta* Swinhoe
 Gray-spotted Flycatcher.
 Migrant—Passes May and August (Styan) Chinkiang, not com-
 mon, found in woods on hills in May (L. T.)

- 99 *M. albicilla* (Pall) 178
White-throated Flycatcher.
Migrant—Obtained Chinkiang, September, October, December (Styan) Chinkiang, one specimen (L. T.)
- Genus—*Tarsiger*.
- 100 *T. cyanurus* (Pall), *Ianthis cyanura* (Pall) 335
Blue-tailed Robin.
Winter visitant—Yangtse Valley probably Northern limit of Winter quarters, abundant in passage October-November and March. Fair numbers remain for Winter (Styan) Chinkiang, pass March-April. Scarce in Winter (L. T.) Kiangyin April (A & M)
- Genus—*Poliomyiua*.
- 101 *P. luteola* (Pall) 188
The Robin Flycatcher.
Migrant—April-May and October (Styan) Chinkiang, common May and October (L. T.)
- Genus—*Niltava*.
- 102 *N. cyanomelaena* (Temm) *Cyanoptila cyanomelaena* (Temm) *C. bella* (Hay) 180
Blue and White Flycatcher.
Migrant—Passes April and September breeds at Ichang (Styan) Chinkiang, uncommon April and September (L. T.)
- Genus—*Xanthopygia*.
- 103 *X. tricoloe* (Blyth) 183
Tricoloe Flycatcher.
Migrant—Passes April-May, August-September (Styan) Chinkiang *Summer visitant*, common (L. T.) Kiangyin, April (A & M)
- 104 *X. narcissina* (Temm) 184
Narcissus Flycatcher.
Migrant—One taken at Chinkiang, another near Shanghai (Styan)
- Genus—*Cryptolopha*.
- 105 *C. tephrocephala* (Anderson) 393
Stray—Single specimen near Kiukiang April, otherwise met only in the extreme south-west. (Styan)
- Genus—*Terpsiphone*.
- 106 *T. incei* (Gould) 172
Ince's Paradise Flycatcher.
Summer visitant—considerable numbers in May, few remain to breed (Styan) Chinkiang, common in Summer (L. T.) Kiangyin, Hangchow, Mohkanshan (A. & M.)
- 107 *T. princeps* (Temm) 170
Japanese Paradise Flycatcher.
Migrant—Specimen in Shanghai Museum, killed Shanghai, May 17 (Styan)

Family—AMPELIDAE—THE WAXWINGS

- Genus—*Ampelis*.
- 108 *A. garrula* (L) 201
Waxwing.
Winter visitant—Common Shanghai in Winter (Styan)
- 109 *A. japonicus* (Siebold) *A. phoenicopterus* (T. & S.) 202
Japanese or Red-tailed Waxwing.
Winter visitant—Less common than *A. garrulus*, but the two species mix in flocks. (Styan) Chinkiang, passes in May (L. T.)

Family—HIRUNDINIDAE—SWALLOWS

Genus—Hirundo

- 110 *H. gutturalis* Scop. 193
 Eastern House Swallow.
 Summer visitant—Abundant middle of March to first week in
 November (Styan) Chinkiang, 20th March to October
 (L. T.) Kiangyin and Mohkanshan, (A. & M.) Soochow (G)
- 111 *H. nipalensis* Hodgs 194-195
 Marque Swallow. Hodgson's Striated Swallow.
 Summer visitant—Chinkiang, abundant April 15th to October
 (L. T.) Kiangyin, Mohkanshan (A & M) Soochow. (G)

Genus—Cotyle.

- 112 *C. riparia* (L.) 197
 Sand Martin, Bank Swallow.
 Summer visitant—Not very common, have not found their
 breeding haunts (Styan) Chinkiang, May-July and
 September (L. T.) Ling Hual Gwan, Anhwei (M)

Genus—Chelidon.

- 113 *C. whitelyi*, Swinhoe 200
 Stray specimen taken Gutzlaff Island (Mouth of Yangtse).
 (Styan)

Family—NECTARINIIDAE—THE WHITE EYES, SILVER EYES

Genus—Zosterops.

- 114 *Z. simplex* Swinhoe, *Z. subroseus* (Swinhoe) 134, 136
 The Silver Eye.
 Resident—Common summer species (Styan) Chinkiang,
 common April-September (L. T.)
- 115 *Z. erythropleurus* Swinhoe 135
 Doubtful—Shanghai to Peking (Swinhoe) South-west China
 (David) "Never met with" (Styan)

Family—FRINGILLIDAE—SPARROWS, FINCHES AND BUNTINGS.

Genus—Carpodacus.

- 116 *C. erythrurus* (Pall) 505
 The Rose Finch.
 Migrant—Single specimen, Kiukiang, April 19 (Styan)

Genus—Pyrrhula.

- 117 *P. griseiventris* Lafr 502
 Winter visitant—Shanghai in Winter (Swinhoe)

Genus—Fringilla.

- 118 *F. montifringilla* L. 480
 Brambling.
 Winter visitant—Common (Styan) Chinkiang, small parties
 in Winter, large flocks March-April (L. T.) Kiangyin
 (A & M)

Genus—Passer.

- 119 *P. montanus* (L.) 490
 Tree Sparrow.
 Resident—Common (Styan) Chinkiang (L. T.) Kiangyin,
 Mohanshan (A. & M.) Soochow (G)
- 120 *P. rutilans* (Temm) 491
 Ruddy Sparrow.
 Resident—A hill species, Kiukiang, May Chinkiang hills,
 March (Styan) Mohkanshan, April-October (A. & M.)

Genus—*Eophona*.

- 121 *E. melanura* (Gm), 500
The Black-headed Hawfinch.
Resident—Common, gregarious in Winter (Styan) Chinkiang
(L. T.) Kiangyin (A. & M.) Soochow (G)
121a *E. migratoria* (Hartert) *E. melanura migratoria* Hartert
Lesser Black-headed Hawfinch.
Migrant—Chinkiang, May (L. T.) Mohkaushan. April? (A. & M.)
121b *E. magnirostris* (Hartert) *E. personata* (T. & S.) *E. personata*
magnirostris Hartert Masked Hawfinch or Big Billed
Hawfinch.
Stray—Single specimen in captivity at Chinkiang, said to
have been taken locally (L. T.)

Genus—*Coccothraustes*.

- 122 *C. japonicus* T. & S. 501
Eastern Hawfinch.
Doubtful—Shanghai to Peking (Swinhoe) Chinkiang Apr.
(L. T.)

Genus—*Chloris*.

- 123 *C. sinica* (Linné) 487
Chinese Green Finch.
Resident—Flock on hills up to 2000 ft. in Winter, avoid
plains (Styan) Chinkiang, common resident (L. T.)

Genus—*Chrysomitris*.

- 124 *C. spinus* (L.) 485
Siskin.
Winter visitant—Flocks in Winter, prefers hills (Styan)
Chinkiang, abundant April-May (L. T.)

Genus—*Aegiothys*.

- 124a *A. linarius* (L.), *Acanthis linaria*
Redpoll.
Stray—Single specimen November (L. T.)

Genus—*Emberiza*.

- 125 *E. spodocephala* Pall 475
Gray Headed Bunting.
Winter visitant—Very common, October to April Breeds in
Siberia, winters in China generally. (Styan) Chinkiang,
Common October-May (L. T.) Kiangyin (A. & M.)
126 *E. melanops* Blyth
Green-headed Bunting.
Summer visitant—Breeds in Yangtse Valley in Reeds, arrives
in April Winters in India (Styan) Chinkiang, single
specimen in April. "Do not believe it breeds in vicinity."
—(L. T.)
127 *E. fucata* Pallas 469
Painted Bunting.
Resident—Breeds Kiukiang, number largely increased in
Winter when it is one of commonest birds on the
Yangtse (Styan) Chinkiang, common resident (L. T.)
Kiangyin (A. & M.)
128 *E. rustica* Pall 468
Rustic Bunting.
Winter visitant—Common in Winter among mulberries
(Styan) Chinkiang (L. T.) Kiangyin (A. & M.)
129 *E. pusilla* Pall 467
Little Bunting.
Winter visitant—Common, October-April (Styan) Chinkiang,
passes April and May, does not Winter at Chinkiang.
(L. T.)

- 130 *E. tristrami* Swinhoe
Tristan's Bunting.
Migrant—Shaweshan at mouth of Yangtse, October 12. Lushan
April 23-26. (Styan) Chinkiang, May 3-5. Moults in N. W.
Fokien (L. T.)
- 131 *E. cioides* (Temm) *E. castaneiceps* Moore *E. ciopala* (Swinhoe) 473
Chestnut Bunting.
Resident—Common, prefers grassy hillsides. Breeds at
Kiukiang (Styan) Chinkiang, common resident (L. T.)
- 132 *E. elegans* Temm 465
Elegant Bunting. Yellow-throated Bunting.
Resident—Frequents hill-sides (Styan) Chinkiang, common
Winter bird, leaves in April (L. T.)
- 133 *E. chrysophrys* Pall 470
Yellow-browed Bunting.
Migrant—Not uncommon April-May. Lushan, October Per-
haps few remain for Winter. One shot in December
(Styan) Chinkiang, April (L. T.) Kiangyin, March 27
(A. & M.)
- 134 *E. aureola* Pall 478
Yellow-breasted Bunting.
Migrant—Abundant April-May, September-October. None
remain to breed (Styan) Chinkiang May, July 30th
to end of October (L. T.) Kiangyin (A. & M.) Soochow (G)
- 135 *E. rutila* Pall
Ruddy Bunting, Rufous Bunting.
Migrant—Scarce April-May (Styan) Chinkiang May and
October (L. T.)
- 136 *E. passerina* Pall *Schoenicola passerina* (Swinhoe) 464
Pallas Reed Bunting. Gray Reed Bunting.
Winter visitant—Abundant in Yangtse reed beds (Styan)
Chinkiang (L. T.) Kiangyin (A. & M.)
- 137 *E. yessoensis* (Swinhoe) 2
Japanese Reed Bunting.
Winter visitant—Not uncommon in Winter about Shanghai
(Styan) Chinkiang, single specimen, March (L. T.) not
uncommon at Chinkiang (L. T.)
- 137a *E. pyrrhulina* Swinhoe
Migrant—Chinkiang, single specimen March (L. T.)
- Genus—*Plectrophanes*.
- 138 *P. japonicus* (L.) 463
The Lapland Longspur.
Migrant—Large flock near Shanghai, March 28 (Styan)
Chinkiang, November (L. T.)
- Genus—*Palda*.
- 139 *P. oryzivora* (L.) 469
Migrant—Small flock pass Shanghai every Autumn (Styan)
Shanghai (Swinhoe)
- Genus—*Munia*.
- 140 *M. acuticauda* (Hodgs) 495
Sharp-tailed Munia. Wedge-tailed Nutmeg.
Resident—Plains and hills up to 200 ft. (Styan) Kiangyin,
Mokanshan foothills (A. & M.) Soochow (G) Chinkiang,
resident (L. T.)
- 141 *M. topela* Swinhoe 494
Summer visitant—Single specimen Kiukiang, May. David
obtained single specimen in Kiangsi (Styan)
- 1 1

Family—ALAUDIDAE—LARKS.

Genus—*Alauda*.

- 142 *A. arvensis* L. *A. arvensis intermedia* Swinhoe.
 Skylark.
 Winter visitant—Common October-March (Styan) Chinkiang,
 common in Winter (L. T.)
 Kiangyin (A. & M.) Soochow (G.)
- 143 *A. ocellivox* Swinhoe
 Summer visitant—March-October (Styan) very common in
 Summer (L. T.) Kiangyin (A. & M.)

Family—STURNIDAE—STARLINGS.

Genus—*Acridotheres*.

- 144 *A. cristatellus* (L.) 524
 The Crested Myna.
 Resident—Yangtse Valley (Styan) Chinkiang abundant (L. T.)
 Kiangyin, Mohkanshan and Hangchow (A. & M.) Soochow,
 old pagodas, favorite nests (G.)

Genus—*Sturnia*.

- 145 *S. sturnina* (Pall) *Temenuchus dauricus* (Swinhoe). 521
 The Daurian Starlet.
 Winter visitant—Flocks pass May and September (Styan)
 Chinkiang, passes May and September (L. T.)

Genus—*Spodiopar*.

- 146 *S. cineraceus* (Temm)
 Gray Starling.
 Winter visitant—Abundant after September, Chinkiang (L. T.)
 Kiangyin (A. & M.)
- 147 *S. sericeus* (Gm) 520
 Silky Starling.
 Winter visitant—large flocks on south side Hangchow Bay,
 never met with on Yangtse (Styan)

Genus—*Pastor*.

- 148 *P. roseus* (L.)
 Rose colored Pastor.
 Stray—Single specimen (Styan)

Family—CORVIDAE—CROWS

Genus—*Corvus*.

- 149 *C. torquatus* L. 530
 Collared Crow.
 Resident—Common (Styan) Chinkiang (L. T.) Kiangyin to
 Hangchow, Mohkanshan (A. & M.) Soochow (G.)
- 150 *C. leuallanti* (L.) *C. sinensis* (Swinhoe) *C. macrorhynchus*
 (Wagl) 528
 Big-billed Crow.
 Resident—Yangtse valley (Styan) Chinkiang (L. T.) Kiangyin
 (A. & M.) Soochow (G.)
- 151 *C. pastinator* Gould
 Eastern Hoot.
 Resident—Yangtse valley (Styan) Chinkiang (L. T.) Kiangyin,
 Winter only (A. & M.) Soochow (G.)

Genus—*Coloeus*.

- 152 *C. dauricus* (Pall) 522

Pied Jackdaw.

Resident—Yangtse valley (Styan) Chinkiang, winter visitant
(L. T.) Kiangyin, do. (A. & M.) Soochow, do. (G.)

- 153 *C. neglectus* (Schl) 523

Swinhoe's Jackdaw. Black Jackdaw.

Resident—Yangtse valley (Styan) Chinkiang, winter visitant
(L. T.) Kiangyin, do. (A. & M.) Soochow do. (G.)

Genus—*Pica*.

- 154 *P. caudata* (L.) *P. media* (Swinhoe) *P. pica sericea*, Gould.

Pied Magpie.

Resident—Common (Styan) Chinkiang (L. T.) Kiangyin to
Hangchow and Mohkanshan (A. & M.) Soochow (G.)

Genus—*Cyanopolius*.

- 155 *C. cyanus* (Pall) *Cyanopica cyanus swinhoi*, Hartert 537

Azure Winged Magpie.

Resident—Yangtse valley—(Styan) Chinkiang (L. T.) Kiang-
yin (A. & M.) Soochow (G.)

Genus—*Urocissa*.

- 156 *U. sinensis* (L.) 539

Chinese Blue Magpie.

Resident—Common hill bird (Styan) Chinkiang (L. T.)
Kiangyin. October Mohkanshan, Summer (A. & M.)
Huohow hills (G.)

Genus—*Garrulus*.

- 157 *G. sinensis* (Swinhoe) 544

South China Jay.

Resident—Hill bird, fairly plentiful (Styan) Mohkanshan
(A. & M.)

Family—PITTIDÆ.

Genus—*Pitta*.

- 158 *P. nympha* T. & S. 275

Japanese Pitta.

Stray. Taken Shanghai in October, single specimen (Styan).

Order—MACROCHIRES.

Family—CYPSELIDÆ—SWIFTS.

Genus—*Chaetura*.

- 159 *C. caudacuta* (Latham) *Acanthyllia caudacuta* (Lath)

Spine-tailed Swift. Needle-tailed Swift.

Migrant—Chinkiang, pass regularly in May (L. T.) Kiangyin
(A. & M.) Soochow, May (G.)

Genus—*Cypselus*.

- 159a *C. pacificus* (Lath)

Large White-rumped Swift.

Migrant—Chinkiang, August (L. T.)

Family—CAPRIMULGIDÆ—GOATSUCKERS, NIGHTJARS.

Genus—*Caprimulgus*.

- 160 *C. jotaka* T. & S.

Japanese Nightjar.

Migrant—Chinkiang, common April, May and September
(L. T.) Kiangyin, May and October (A. & M.)

Order—PICII.**Family—PICIIDAE—THE WOODPECKERS.****Genus—Jynx.**

- 161 *J. torquilla* (L.)
Wryneck.
Migrant—Chinkiang, April and September (L. T.).

Genus—Picus.

- 162 *P. cabanisi*. (Malh)
Mandarin Woodpecker. Pied Woodpecker.
Resident—Chinkiang, common (L. T.) Kiangyin (A. & M.)
Soochow (G.)

Genus—Iyngipicus.

- 163 *I. scintilliceps* (Swinhoe)
Spark-headed Woodpecker.
Resident—Chinkiang, not so common as *P. cabanisi* or *G. guerini* (L. T.) Mohkanshan, August (A. & M.)

Genus—Gecinus.

- 164 *G. guerini* (Malh)
Yangtse Green Woodpecker.
Resident—Chinkiang, common (L. T.) Kiangyin (A. & M.)
Soochow (G.)

- 164a *G. canus* (L.)
North China Green Woodpecker.
Chinkiang, single adult female November 30 (L. T.)

Genus—Picumnus.

- 165 *P. chinensis* (Hargitt)
Piculet.
Chinkiang, May. Eggs seen (L. T.)

Order—COCCYGES.**Family—UPUPIDAE.****Genus—Upupa.**

- 166 *U. epops* L.
Hoopoe.
Resident—Chinkiang, rare Winter. Newchwang (South Manchuria) common Summer. Foochow, scarce winter visitant. Amoy, very common resident (L. T.) Soochow, one specimen March (G.)

Family—MEROPIDAE—BEE EATERS.**Genus—Merops.**

- 167 *M. bicolor*
Bee Eater.
Summer visitant. (Styan)

Family—CORACIIDAE—ROLLERS.**Genus—Eurystomus.**

- 168 *E. calonyx* Sharpe, *E. orientalis* (L.)
Eastern Roller, Broad Billed Roller.
Summer visitant—Chinkiang, passes May and September-October (L. T.) Mohkanshan August and September. Kiangyin, October (A. & M.)

Family—ALCEDINIDAE—KINGFISHERS.

Genus—*Alcedo*.

- 169 *A. ispida bengalensis* Gmelin.
 Little Blue Kingfisher.
 Resident—Chinkiang, common (L. T.) Kiangyin, Mohkanshan
 (A. & M.) Soochow (G.)

Genus—*Ceryle*.

- 170 *C. rudis insignis* Hartert?
 Pied Kingfisher.
 Summer visitant (Styan)
 171 *C. guttata* (Vig.), *C. lugubris* (Temm)? *C. lugubris guttulata*
 Stejneger.
 Great Spotted Kingfisher.
 Resident—(Styan) Mohkanshan, April and September
 (A. & M.)

Genus—*Halcyon*.

- 172 *H. pileatus* (Bodd), *H. atricapillus* (Gmel)
 Black-capped Kingfisher.
 Summer visitant—Chinkiang, May and September (L. T.)
 Mohkanshan, August and Kiangyin, October (A. & M.)
 173 *H. smyrnensis* (L.), *H. fuscus* (Bodd)
 White Breasted Kingfisher.
 Stray (Styan)
 174 *H. coromanda* (Sharpe) *H. coromandelianus* (Scopoli)
 Ruddy Kingfisher.
 Migrant (Styan)

Family—CUCULIDAE—CUCKOOS.

Genus—*Cuculus*.

- 175 *C. canorus telephonus* Hainé
 Common Cuckoo.
 Summer visitant—Chinkiang, May to July (L. T.) Kiangyin
 (A. & M.)
 176 *C. micropterus* Gould
 Indian Cuckoo.
 Summer visitant—Chinkiang, abundant May and June (L. T.)
 Kiangyin (A. & M.) Soochow (G.)
 177 *C. intermedius* (Vahl) *C. striatus* (Vahl)
 Dark Cuckoo, Hill Cuckoo.
 Summer visitant—Chinkiang, "never taken by me in
 Summer, probably a migrant at Chinkiang"—(L. T.)
 Mohkanshan (A. & M.)
 177a *C. poliocephalus* Latham
 Small Cuckoo.
 Summer visitant—Chinkiang, common in May—probably
 summers (L. T.)

Genus—*Hierococcyx*.

- 178 *H. fugax* (Horsf), *H. sparveriioides* (Vig.)
 Hawk Cuckoo. Large Hill Cuckoo.
 Migrant—Chinkiang, April-May (L. T.)

Genus—*Coccyzus*.

- 179 *C. coromandus* (L.)
 Crested Cuckoo. Red-winged Crested Cuckoo.
 Summer visitant—Chinkiang (L. T.) Mohkanshan, August
 (A. & M.)

11 *

Order—STRIGES.

Family—BUBONIDAE—OWLS.

Genus—*Ketupa*.

- 180 *K. flavipes* (Hodgson)
Tawny Fish Owl.
Resident (Styan)

Genus—*Bubo*.

- 181 *B. ignavus* (Forster)
Great Eagle Owl.
Resident—Chinkiang (L. T.) Kiangyin, May (A. & M.)
182 *B. coromandus* (Latham) *Urrna coromanda* (Latham)
Dusky Horned Owl.
Stray (Styan)

Genus—*Scops*.

- 183 *S. glabripes* (Swinhoe)
Resident (Styan)
184 *S. semitorques* (T. & S.)
Half Collared Owl.
Resident—Chinkiang (Styan) Not seen (L. T.)
185 *S. stictotus* (Sharpe)
Little Scops Owl.
Migrant.

Genus—*Glaucidium*.

- 186 *G. whiteleyi* (Blyth)
Whiteley's Owlet.
Resident—Chinkiang, probably very scarce resident (L. T.)
Kiangyin (A. & M.)
187 *G. brodiei* (Burt)
Collared Pygmy Owlet.
Resident (Styan) Mohkashan August-September (A. & M.)

Genus—*Ninox*.

- 188 *N. japonica* (T. & S.)
Brown Hawk Owl.
Summer visitant—Chinkiang May and April (L. T.)

Genus—*Asio*.

- 189 *A. otus* (L.), *A. vulgaris* (Fleming)
Long-eared Owl.
Winter visitant, Chinkiang (L.T.)
190 *A. accipitrinus* (Pall), *A. brachyotus* (Blyth), *A. flammeus* (Pont)
Short-eared Owl.
Winter visitant, Chinkiang, autumn (L.T.) Kiangyin (A. & M.)
Scowhow (G)

Order—ACCIPITRES.

Family—FALCONIDAE—DIURNAL BIRDS OF PREY

Genus—*Pandion*.

- 191 *P. haliaetus* (L.)
Osprey.
Resident, Chinkiang once (L.T.)

Genus—*Circus*.

- 192 *C. aeruginosus* (L.)
Marsh Harrier.
Winter visitant, Chinkiang (L.T.) Kiangyin (A. & M.)
193 *C. spilonotus* Kaup
Winter visitant—not uncommon in Winter (L.T.)

- 194 *C. melanoleucus* (Pennant)
The Pied Harrier.
Migrant—Chinkiang (L.T.)
- 195 *C. cyaneus* (L.)
Hen Harrier.
Winter visitant, Chinkiang Winter (L.T.) Kiangyin (A. & M.)
- 196 *C. macrurus* (Gmel)
Migrant (Styan)
- 197 *C. pygargus* (Linn)
Migrant (Styan)

Genus—*Buteo*.

- 198 *B. plumipes* (Hodgs)
The Common Buzzard. The Harrier Buzzard.
Winter visitant, Chinkiang, common in Winter (L.T.)
- 199 *B. hemilasius* T. & S.
White Tail Buzzard.
Winter visitant, Chinkiang and Ngankin (L.T.) Wusih?
(A. & M.)

Genus—*Archibuteo*.

- 200 *A. strophiatius* (Hodgs)
Himalayan Rough-legged Buzzard.
Winter visitant, Kiangyin, Winter (A & M.)

Genus—*Aquila*.

- 201 *A. clanga* Pall *A. naevia* (Gmel)
Large Spotted Eagle.
Resident—Chinkiang (L.T.) Mohkanshan (A. & M.)
- 202 *A. heliaca* (Sav)
Imperial Eagle.
Resident (Styan)

Genus—*Nisaetus*.

- 203 *N. faciatius* (Vieill) *Hieratus faciatius* (Vieill)
Bonelli's Eagle.
Resident (Styan)

Genus—*Haliaeetus*.

- 204 *H. albicilla* (L.)
White-tailed Sea Eagle.
Resident—Chinkiang Winter (L.T.)

Genus—*Spizaetus*.

- 205 *S. nipalensis* (Hodgs)
Hodgson's Hawk Eagle.
Stray (Styan)

Genus—*Astur*.

- 206 *A. cuculoides*. (Temm)
Temminck's Goshawk.
Summer visitant, Chinkiang (L.T.)
- 207 *A. soloensis* (Horsf)
Horsfield's Goshawk.
Migrant—Chinkiang, May common (L.T.) "Very doubtful"
(Styan)

Genus—*Accipiter*.

- 208 *A. nisus* (L.)
Sparrow Hawk.
Winter visitant, Chinkiang, September-April (L.T.) Kiangyin
(A. & M.)
- 209 *A. virgatus* (Temm)
Migrant (Styan)
- 209A *A. gularis* (T. & S.) *A. nisoides* (Blyth)
Japanese Sparrowhawk.
Migrant—Chinkiang May (L.T.) Kiangyin? (A. & M.)

Genus—*Buteo*.

- 210 *B. indicus* (Gm)
Gray-faced Buzzard-Eagle.
Migrant (Styan)

Genus—*Falco*.

- 211 *F. peregrinus* (Tunstall) *F. communis* (Gm)
Peregrine.
Resident—Chinkiang, common in Winter, this species or *F. peregrinator* probably breeds here (L.T.)
- 212 *F. melanogenys* (Gould?) *F. peregrinator* (Sundev)
Indian Peregrine.
Summer visitant (Styan)
- 213 *F. sub-huteo* L.
Hobby.
Summer visitant—Chinkiang May and Sept. (L.T.) Kiangyin (A. & M.)
- 214 *F. regulus* (Pall), *Aesalon regulus* Tunst, *Falco aesalon* (Gmel)
Merlin.
Winter visitant—Chinkiang, fairly common (L.T.) Kiangyin (A. & M.)

Genus—*Cerchneis*.

- 215 *C. tinnunculus* (Linn) *C. japonicus* (T. & S.)?
Japanese Kestrel.
Winter visitant (Styan)
- 215A *C. saturatus* (Blyth), *Falco tinnunculus saturatus* (Blyth)
Darker Kestrel.
Resident—Chinkiang, common (L. T.)

Genus—*Erythropus*.

- 215B *E. amurensis* (Radde)
Eastern Red-footed Falcon.
Chinkiang scarce (L. T.)

Genus—*Milvus*.

- 216 *M. melanotis* T. & S.
Black Eared Kite.
Resident—Chinkiang abundant (L. T.) Kiangyin (A. & M.)
Soochow resident, abundant (G.)

Genus—*Haliaeetus*.

- 217 *H. indus* (Bodd)
Summer visitant (Styan)

Family—VULTURIDAE—VULTURES.

Genus—*Vultur*.

- 218 *V. monachus* L.
Cinereous Vulture.
Stray (Styan)

Order—STEGANOPODES.

Family—PELECANIDAE—PELICANS.

Genus—*Pelecanus*.

- 219 *P. philippensis* Gm.
Spotted Billed Pelican.
Winter visitant (Styan)

Family—PHALACROCORICIDAE—CORMORANTS.

Genus—*Phalacrocorax*.220 *P. carbo* (L.)

Cormorant.

Resident—Chinkiang, abundant Winter (L. T.) Hangchow,
Nanking (A. & M.)

Order—HERODIONES—Hérons, Egrets, Bitterns.

Family—ARDEIDAE.

Genus—*Ardea*.221 *A. cinerea* L.

Gray Heron.

Resident—Chinkiang (L. T.) Kiangyin (A. & M.)

222 *A. purpurea* (L.) *A. manillensis* Mey

Eastern Purple Heron.

Migrant—Chinkiang, April (L. T.)

Genus—*Herodias*.223 *H. alba* (L.)

Great Egret.

Resident (Styan)

224 *H. intermedia* (Wagl)

Lesser Egret.

Resident—Kiangyin (A. & M.)

225 *H. garzetta* (L.)

Little Egret.

Resident—Chinkiang, not seen but eggs brought in (L. T.)
Kiangyin (A. & M.)Genus—*Bubulcus*.226 *B. coromandus* (Bodd)

Cattle Egret.

Migrant (Styan)

Genus—*Ardeola*.227 *A. bacchus* (Bp) *A. prasinoscels* (Swinhoe)

Pond Heron.

Summer visitant—Chinkiang (L. T.) Kiangyin, Soochow, Foot
of Mohkanshan (A. & M.) Soochow (G)Genus—*Dupetor*.228 *D. flavicollis* (Lath)

Yellow-necked Heron.

Summer visitant—Chinkiang (L. T.) Kiangyin? (A. & M.)

Genus—*Arletta*.229 *A. sinensis* (Gm)

Little Bittern.

Summer Resident—Chinkiang (L. T.) Kiangyin (A. & M.)

230 *A. cinnamomea* (Gm)

Cinnamon Heron.

Summer visitant—Chinkiang (L. T.) Kiangyin (A. & M.)

231 *A. eurhythma* (Swinhoe)

Von Schrenk's Little Heron.

Summer visitant—Chinkiang, April-May (L. T.)

Genus—*Butorides*.232 *B. javanicus* (Horsf)

Little Green Heron.

Migrant (Styan) Kiangyin? (A. & M.)

Genus—*Nycticorax*.233 *N. nycticorax* (Linn)

Night Heron. Black Crowned Night Heron.

Resident—Chinkiang, Summer (L. T.) Kiangyin (A. & M.)
Soochow (G.)

Genus—Botaurus.234 *B. stellaris* (Linn)

Great Bittern.

Winter visitant—Chinkiang (L. T.) Kiangyin (A. & M.)

Family—CICONIIDAE—STORKS.**Genus—Ciconia.**235 *C. nigra* (Linn)

Black Stork.

Winter visitant (Styan)

Genus—Leptoptilos.236 *L. javanicus* (Horsf)

Summer visitant (Styan)

Genus—Ibis.237 *I. leucocephalus* Penn *Pseudotantalus leucocephalus* (Gm)

Painted Stork.

Winter visitant—(Styan), Kiangyin (A. & M.)

Family—THRESKIORNITHIDAE—IBISES.**Genus—Nipponia.**238 *N. nippon* (Temm)

Japanese Crested Ibis.

Summer visitant (Styan)

Family—PLATALEIDAE—SPONBILLS.**Genus—Platalea.**239 *P. major* T. & S. *P. leucorodia* Linn.

Great Spoonbill.

Migrant (Styan)

240 *P. minor* T. & S.

Lesser Spoonbill.

Migrant (Styan)

Order--ANSERES.**Family—ANATIDAE—DUCKS, GESE, SWANS, ETC.****Genus—Cygnus.**241 *C. musicus* (Bech.) *C. ferus* (?) *C. olor* Gm.

Whooper or Wild Swan.

Winter visitant (Styan) Chinkiang—stray specimen now in

Shanghai Museum (L. T.)

242 *C. minor* Pall *C. bewickii* (Yarr)

Bewick's Swan.

Winter visitant—Chinkiang (L. T.)

Genus—Anser.243 *A. albifrons* (Scop)

White-fronted Goose.

Winter visitant—Chinkiang (L. T.) Kiangyin (A. & M.)

244 *A. erythropus* (Linn)

Lesser White-fronted Goose.

Winter visitant (Styan)

- 245 *A. rubirostris* Swinhoe—*A. cinereus* (Meyer & Wolf)
Gray-Leg Goose.
Winter visitant—Chinkiang (L. T.) Kiangyin (A. & M.)
- 246 *A. serrirostris* Gould. *A. segetum* (Gm)
Bean Goose.
Winter visitant—Chinkiang (L. T.)
- 247 *A. cygnoides* (Linn)
Swan Goose.
Winter visitant (Styan)
- Genus—*Nettion*.
248 *N. coromandelianus* (Gm)
Cotton Teal.
Summer visitant and Chinkiang, common (L. T.) Kiangyin (A. & M.)
- Genus—*Dendrocygna*.
249 *D. javanica* (Horsf)
Lesser Whistling Teal.
Stray (Styan)
- Genus—*Tadorna*.
250 *T. cornuta* (Gm) *T. vulpanser* (Flem)
Sheldrake.
Winter visitant (Styan)
- Genus—*Anas*.
251 *C. rutila* (L.) *C. ferruginea* (Pall)
Ruddy Sheldrake.
Winter visitant (Styan)
- Genus—*Anas*.
252 *A. galariculate* (L)
Mandarin Duck.
Winter visitant (Styan)
- Genus—*Mareca*.
253 *M. penelope* (L)
Widgeon.
Winter visitant (Styan)
- Genus—*Dafila*.
254 *D. acuta* (L.)
Pintail Duck.
Winter visitant—Chinkiang (L. T.) Kiangyin? (A. & M.)
- Genus—*Anas*.
255 *A. boschas* L. *A. platyrhynchos* (L)
Mallard Duck.
Winter visitant—Chinkiang (L. T.) Kiangyin (A. & M.)
- 256 *A. sonorhyncha* (Swinhoe)
Yellow Nib Duck.
Resident—Chinkiang resident abundant Winter (L. T.) Kiangyin (A. & M)
- Genus—*Chaulelasmus*.
257 *C. streperus* (L.)
Gadwall.
Winter visitant (Styan)
- Genus—*Querquedula*.
258 *Q. crecca* (Linn) *Nettion crecca* (L.) *Nettion crecca* (Linn)
Green-wing Teal.
Winter visitant—Chinkiang (L. T.) Kiangyin (A. & M.)
- 259 *Q. circia* (L.)
Garganey Teal
Winter visitant—Chinkiang, single male semi-albino (L. T.)
- Genus—*Eunetta*.
260 *E. formosa* (?) *Nettion formosum* (Georgi)
Spectacled Teal.
Winter visitant—Chinkiang (L. T.) Kiangyin (A. & M.)

- 261 *E. falcata* (Georgi)
Falcated Teal.
Winter visitant (Styan)
Genus—*Spatula*.
- 262 *S. clypeata* (L.)
Shoveller.
Winter visitant—Chinkiang (L. T.)
Genus—*Fuligula*.
- 263 *F. cristata* (L.)
Tufted Duck.
Winter visitant (Styan)
- 264 *F. baeri* Radde
Eastern White-eyed Duck. Siberian White-eyed Duck.
Winter visitant (Styan)
- 265 *F. ferina* (L.)
Pochard.
Winter visitant (Styan)
- 266 *F. marila* (Steph)
Scaup.
Winter visitant (Styan)
- 267 *F. mariloides* (Rich)
Eastern Scaup.
Winter visitant (Styan)
Genus—*Clangula*.
- 268 *C. glaucion* (L.) *C. clangula* (Linn)
Golden Eye.
Winter visitant—Chinkiang (L. T.) Kiangyin (A. & M.)
Genus—*Oedemia*.
- 269 *O. fusca* (Dagl & Gerbe)
Velvet Scoter.
Winter visitant (Styan)
- 270 *O. carbo* (Pall)
Eastern Velvet Scoter.
Winter visitant (Styan)
Genus—*Mergus*.
- 271 *M. merganser* Linn *Mergus castor* (L.)
Goosander Merganser.
Winter visitant—Chinkiang (L. T.) Kiangyin (A. & M.)
- 272 *M. serrator* (L.)
Red-breasted Merganser.
Winter visitant (Styan)
- 273 *M. albellus* (L.)
Sniew.
Winter visitant—Chinkiang (L. T.) Kiangyin (A. & M.)

Order—COLUMBAE—Doves.

Family—COLUMBIDAE.

- Genus—*Turtur*.
- 274 *T. orientalis* (Latham) *T. rupicola* (Pall)
Eastern Turtle Dove. Blue Pigeon. Kashing Pigeon.
Resident—Chinkiang (L. T.) Kiangyin, Mohkanshan (A. & M.) Huchow (G)
- 275 *T. chinensis* (Scop)
Chinese Turtle Dove.
Resident—Chinkiang (L. T.) Kiangyin (A. & M.) Soochow (G)
- 276 *T. humilis* (Temm)
Chinese Ruddy Ring Dove.
Resident—Soochow (A. & M.) also (G)

Order—GALLINÆ.**Family—PHASIANIDÆ—THE PHEASANTS.****Genus—Pucrasia.**

- 277 *P. darwini* Swinhoe
Darwin's Pheasant.
Resident—Mohkanshan (A. & M.)

Genus—Phasianus.

- 278 *P. torquatus* Gm
Ringnecked Pheasant.
Resident—Chinkiang (L. T.) Kiangyin, Mohkanshan (A. & M.)
Soochow, Huchow (G)

- 279 *P. reevesii* Gray
Reeves Pheasant.
Resident (Styan)

Genus—Bambusicola.

- 280 *B. thornicica* (Temm)
Bamboo Partridge. Bamboo Chicken.
Resident—Mohkanshan Hills (A. & M.) Huchow Hills (G)

Genus—Coturnix.

- 281 *C. communis* (Bonn). *C. coturnix* ()
Common Quail.
Resident—Chinkiang (L. T.) Kiangyin (A. & M.) Soochow (G)
- 281A *C. japonica* (T. & S.)
Japanese Quail.
Resident Chinkiang (L. T.) Kiangyin (A. & M.)

Family—TURNICIDÆ**Genus—Turnix.**

- 282 *T. blanfordi* Blyth
Button Quail. Hemipode.
Summer visitant—Chiukiang (L. T.) Kiangyin (A. & M.)

Order—GERANOMORPHÆ**Family—RAILLIADÆ—RAILS****Genus—Rallus.**

- 283 *R. indicus*. Blyth.
Indian Water Rail.
Summer visitant—Chinkiang (L. T.) Kiangyin (A. & M.)
Soochow (G)
- 284 *R. jouyi* (Stejneger) *Hypotaenidia striata* (L.)
Blue-breasted Banded Rail. Striated Rail.
Summer visitant (Styan)

Genus—Porzana.

- 285 *P. fusca* (L.)
Red-throated Rail.
Summer visitant Chinkiang, single specimen, Apr. (L. T.)
- 286 *P. exquisita* (Swinhoe)
Exquisite Crake.
Summer visitant (Styan)
- 287 *P. pusilla* (Pall)
Baillon Crake. Pallas' Crake.
Summer visitant—Chinkiang, Apr-May and Oct. (L. T.)
Kiangyin (A. & M.)

- 287A *P. paykulli* (Ljungh) *P. mandarina* (Swinhoe).
Summer visitant—Chinkiang, May (L. T.)
- Genus—*Gallinula*.
- 288 *G. phoenicurus* (Penn) *Amaurornis phoenicurus* (Forst)
White-breasted Water Hen.
Summer visitant—Chinkiang (L. T.) Kiangyin (A. & M.)
Soochow (G)
- 289 *G. chloropus* (L.)
Moorhen.
Summer visitant—Chinkiang (L. T.) Kiangyin (A. & M.)
- Genus—*Amaurornis*.
- 290 *Amaurornis akool* Sykes
Crimson-legged Water Hen, Crimson-legged Crane.
Summer visitant (Styan)
- Genus—*Gallinix*.
- 291 *G. cinerea* (Gm)
Water Cock.
Summer visitant—Chinkiang (L. T.) Kiangyin (A. & M.)
- Genus—*Fulica*.
- 292 *F. atra* L.
Coot.
Resident—Chinkiang (L. T.) Kiangyin? (A. & M.)

Family—GRUIDAE—CRANES

- Genus—*Grus*.
- 293 *G. lilfordia* (Sharpe)
Gray Crane.
Winter visitant (Styan)
- 294 *G. vipio*
Winter visitant (Styan)
- 295 *G. japonensis* (Müller)
Green Billed Crane.
Winter visitant (Styan)
- 296 *G. leucogeranus* (Pall)
White Siberian Crane.
Winter visitant (Styan)
- 297 *G. monachus* Temm
White-headed Crane.
Winter visitant (Styan)

Family—OTIDAE—BUSTARDS.

- Genus—*Otis*.
- 298 *O. dybowskii* (Tacz)
Eastern Great Bustard.
Winter visitant (Styan) seen in Soochow market (G)

Order—LIMICOLAE

Family—PARRIDAE

- Genus—*Hydrophasianus*.
- 299 *H. chirurgus* (Scop)
Water Pheasant. Pheasant-tailed Jacana.
Summer visitant—Chinkiang (L. T.) Kiangyin (A. & M.)

Family—GLAREOLIDAE

Genus—Glareola

- 300 *G. orientalis* (Leach) *G. maldivarum* Forster.
 Easter Pratincole. Swallow Plover.
 Winter visitant (Styan)

Family—CHARADRIIDAE—Plovers.

Genus—Charadrius.

- 301 *C. fulvus* Gm
 Eastern Golden Plover.
 Migrant (Styan)

Genus—Squatarola.

- 302 *C. helveticus* (?) *Squatarola helvetica* (L.)
 Gray Plover. Black-bellied Plover.
 Migrant—Chinkiang (L. T.)

Genus—Aegialitis.

- 303 *Æ. Aegialitis minor* (W. & M.)
 Little Ringed Plover.
 Migrant—(Styan) Chinkiang (L. T.)
 304 *Æ. Aegialitis placidus* (Gray)
 Hodgson's Ringed Plover.
 Migrant—Chinkiang (L. T.) Kiangyin? (A. & M.)
 305 *Æ. Aegialitis geoffroyi* (Wagl)
 Geoffroy's Sand Plover.
 Migrant—(Styan)
 306 *Æ. Aegialitis veredus* (Gould)
 Eastern Dotterel.
 Migrant (Styan)
 307 *Æ. Aegialitis mongolicus* (G. E. Harting 1870)
 Mongolian Sand Plover.
 Migrant (Styan)
 308 *Æ. Aegialitis cantianus* (Lath)
 Kentish Plover.
 Migrant (Styan)

Genus—Microsarcops.

- 309 *Microsarcops cinereus* (Blyth) *Chetlusia cineria* (Blyth)
 Gray Lapwing.
 Summer visitant (Styan)

Genus—Vanellus.

- 310 *V. cristatus* (Wolf & Meyer). *V. vanellus* (?)
 Lapwing
 Winter visitant—Chinkiang (L. T.) Kiangyin (A. & M.)
 Soochow (G)

Genus—Strepilas.

- 311 *S. interpres* (Illig.) *Arenaria interpres* (L.)
 Migrant (Styan)

Genus—Haematopus.

- 312 *H. ostralegus* Swinh
 Oyster Catcher.
 Winter visitant (Styan)

Family—RECURVIROSTRIDAE—AVOCETS AND STILTS.

Genus—*Recurvirostra*.

- 313 *R. avocetta* (L.)
Avocet.
Winter visitant—Chinkiang (L. T.)

Genus—*Himantopus*.

- 314 *H. melanopterus* (Temm) *H. candidus* (Bonnat)
Black-winged Stilt.
Winter visitant (Styan)

Family—SCOLOPACIDÆ—SNIPES AND SANDPIPERS.

Genus—*Scolopax*.

- 315 *S. rusticola* L. *S. rusticola* (?)
Woodcock.
Winter visitant—Chinkiang (L. T.) Kiangyin (A. & M.)
Soochow, Huchow (G)

Genus—*Gallinago*.

- 316 *G. solitaria* Hodgs
Solitary Snipe
Winter visitant—Chinkiang (L. T.)
317 *G. stenura* Bp
Pintail Snipe. Lesser Spring Snipe.
Migrant—Chinkiang (L. T.) Kiangyin (A. & M.) Soochow (G)
318 *G. megala* Swinhoe
Swinhoe's Snipe. Great Spring Snipe.
Migrant—Chinkiang (L. T.) Kiangyin (A. & M.) Soochow (G.)
319 *G. gallinago* (L.)
Winter Snipe. Fantail Snipe.
Winter visitant—Chinkiang (L. T.) Kiangyin (A. & M.)
Soochow (G.)

Genus—*Rhynchaena*

- 320 *R. capensis* (L.) *Rostratula benghalensis* (L.)
Painted Snipe.
Resident—Chinkiang (L. T.) Kiangyin (A. & M.)

Genus—*Tringa*.

- 321 *T. canutus* L.
Knot.
Migrant (Styan)
322 *T. crassirostris* T. & S.
Eastern Knot. Big-billed Knot.
Migrant (Styan)
323 *T. subarquata* (Gull) *Erolia ferruginea* (Brünnich)
Curlew Stint.
Migrant (Styan)
324 *T. cinclus* (L.) *Pelidna alpina* (Linn)
Dunlin.
Winter visitant (Styan)
325 *T. subminuta* (Midd) *Pisobia damacensis* (Horsfield)
Long-toed Stint.
Migrant (Styan)
326 *T. platyrhynchos* (Temm)
Broad-billed Stint.
Migrant (Styan)

- 327 *T. acuminata* (Horsf)
Sharp-tailed Stint.
Migrant (Styan)
- 328 *T. temminckii* (Leisl.)
Temminck's Stint.
Migrant (Styan)
- 329 *T. rufocollis* (Pall)
Red-necked Stint.
Migrant (Styan)

Genus—*Calidris*.

- 330 *C. arenaria* (L.) *C. leucophaea* (Pall)
Sanderling.
Migrant (Styan)

Genus—*Tringoides*.

- 331 *T. hypoleucus* (Swinh) *Totanus hypoleucus* (L.)
Resident (Styan) Foot of Mohkanshan, July and Aug. (A. & M.)

Genus—*Eurynorhynchus*.

- 332 *E. pygmaeus* (L.)
Spoonbill Sandpiper.
Migrant (Styan)

Genus—*Totanus*.

- 333 *T. ochropus* (L.)
Green Sandpiper. Snippet.
Winter visitant—Chinkiang, common in Winter; seen in
July; may breed (L. T.) Kiangyin (A. & M.)
- 334 *T. glareola* (L.)
Wood Sandpiper.
Migrant—Chinkiang, common, Mch. (L. T.) Kiangyin (A. & M.)
- 335 *T. calidris* (Bochat)
Red-shank.
Winter visitant—Chinkiang (L. T.) Kiangyin (A. & M.)
- 336 *T. erythropus* (Pall) *T. fuscus* (Tem)
Spotted Redshank.
Winter visitant (Styan)
- 337 *T. glottis* (L.)
Green-shank.
Winter visitant—Chinkiang, fairly common (L. T.) Kiangyin.
(A. & M.)
- 338 *T. incanus* (Schleg)
Eastern Wandering Tattler.
Migrant (Styan)

Genus—*Terekia*.

- 339 *T. cinerea* (Gm)
Terek Sandpiper.
Migrant (Styan)

Genus—*Limosa*.

- 340 *L. lapponica haueri* (Naum) *L. uropygialis* (Gould)
Pacific Godwit.
Migrant (Styan)
- 341 *L. limosa* (Linn) *L. melanuroides* (Gould)
Black-tailed Godwit.
Migrant (Styan)

Genus—*Ereunetes*.

- 342 *E. taczanowskii* (?) *Pseudos colapax senupalmatus* (Swinh)
Migrant (Styan)

Genus—*Numenius*.

- 343 *N. variegatus* (Scoop)
Eastern Whimbrel.
Migrant (Styan)

- 344 *N. minutus* (Gould)
Little Curlew.
Migrant (Styan)
- 345 *N. lineatus* Cuv
Eastern Curlew.
Winter visitant—Chinkiang? (L. T.)

Order—GAVIAE—Gulls and Terns.

Family—LABIDAE.

Genus—*Larus*.

- 346 *L. cachinnans* Pall
Laughing Gull.
Winter visitant—Chinkiang? (L. T.)
- 347 *L. melanurus* (T. & S.) *L. crassirostris* Vieill.
Black-tailed Gull.
Winter visitant—Chinkiang (L. T.)
- 348 *L. canus* L.
Common Gull. Hoary White Gull. Mew Gull.
Winter visitant—Chinkiang (L. T.)
- 349 *L. ridibundus* L.
Black-headed Gull. Laughing Gull.
Winter visitant—Chinkiang (L. T.)
- 350 *L. saundersi* (Swinh) *L. vegae* (Stegn)
Saunders's Gull. Pink-footed Herring Gull.
Winter visitant—Chinkiang? (L. T.)

Genus—*Sylochelidon*.

- 351 *S. caspia* (Pallas) *Hydroprogne caspia* (Pall.)
Caspian Tern.
Migrant—Chinkiang (L. T.)

Genus—*Hydrochelidon*.

- 352 *H. hybrida* (Pall)
Whiskered Tern.
Migrant—Chinkiang (L. T.)
- 353 *H. leucoptera* (Temm)
White-winged Tern.
Migrant—Styan.

Genus—*Sterna*.

- 354 *S. sinensis* (Gm)
Chinese Little Tern.
Migrant—(Styan) Ling Huai Kwan, Anhwei (A. & M.)
- 355 *S. fluviatilis* (Naum)
Common Tern.
Migrant (Styan)

Order—PYGPODES—Grebes and Loons.

Family—GAVIIDAE—Loons.

Genus—*Gavia*.

- 356 *G. septentrionalis* (L.)
Red-throated Diver.
Winter visitant—(Styan) Kiangyin (A. & M.)

Family—COLYMBIDAE—GREBES.

Genus—Colymbus.

- 357 *C. Colymbus cristatus* (L.)
Great Crested Grebe.
Winter visitant—(Styan) Wushih, Soochow (A. & M.)
- 358 *C. philippensis* (Bonn)
Eastern Little Grebe.
Resident—Chinkiang (L. T.) Kiangyin (A. & M.)
- 359 *C. auritus* (L.)
Eared Grebe.
Winter visitant (Styan)

APPENDIX.

LIST PREPARED BY MR. CHAS. W. RICHMOND,
ACTING CURATOR, DIVISION OF BIRDS,
UNITED STATES NATIONAL MUSEUM.